



# SERIE SS-SG-FQ

*Plaster of Paris Bandage  
Slitting and Re-winding Machine*



Automatically unwinding, deviation correction, slitting, length counting, re-winding, auxiliary demount.

With waste edge collection system.

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



**WUHAN LOYAL MACHINERY CO., LTD**


© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,  
Wuchang District, 430061, Wuhan City, Hubei Province, China  
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380  
E-mail: loyal@med-machinery.cn michelle\_6237@hotmail.com  
[www.med-machinery.cn](http://www.med-machinery.cn)



# SERIE SS-SG-FQ

*Plaster of Paris Bandage  
Slitting and Re-winding Machine*

## TECHNICAL SPECIFICATIONS



From unwinding jumbo material roll to small bandage rolls, the fabric only through three shafts (red ring in above drawing), powder drop rate is much reduced compare with traditional slitting machine.

Operator only needs to do two steps, winding-core installation and knife cross cutting, which greatly reduces labor intensity and improves efficiency.

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.




**WUHAN LOYAL MACHINERY CO., LTD**

⑤ 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,  
Wuchang District, 430061, Wuhan City, Hubei Province, China  
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380  
E-mail: loyal@med-machinery.cn michelle\_6237@hotmail.com  
www.med-machinery.cn



# SERIE SS-SG-FQ

*Plaster of Paris Bandage  
Slitting and Re-winding Machine*



For bandage different edge shape request, just needs to change cutter. Customize cutters will meet bandage with straight edge, zag-zig edge or arbitrary flower edge request.

## Technical Parameter

Motor power	1.5KW
Frequency converter	2.2KW
longitudinal cutting accuracy	±0.1cm
Cross cutting accuracy	±1.0cm

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



**WUHAN LOYAL MACHINERY CO., LTD**

⑤ 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,  
Wuchang District, 430061, Wuhan City, Hubei Province, China  
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380  
E-mail: loyal@med-machinery.cn michelle\_6237@hotmail.com  
www.med-machinery.cn