



SERIE SS-WFB-FQ

Non-woven Slitting and Re-winding Machine



It is suitable for slitting and rewinding 20~120g/m² Spunlace non-woven jumbo roll material.

PLC programmer, frequency transformer, 3-phase alternating-current motor and tension controller automatically completes the un-winding, towing, tension adjusting and rewinding process.

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



WUHAN LOYAL MACHINERY CO., LTD

⑤ 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
Wuchang District, 430061, Wuhan City, Hubei Province, China
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
www.med-machinery.cn



SERIE SS-WFB-FQ


Non-woven Slitting and Re-winding Machine

TECHNICAL SPECIFICATIONS



The automatic tension control system responds sensitively, responds fast, be qualified for different gram weight of spunlace non-woven fabric, maximum guarantee spunlace (very sensitive tension) non-woven not been deformation during the slitting and rewinding process.

The pneumatic slitting cutter adopt Italy technical, made by alloy steel quenching, design as big diameter ($\phi 140\text{mm}$), reliable, simple adjust and long performance life.



The slitting edge is very neat.

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.




WUHAN LOYAL MACHINERY CO., LTD

© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
Wuchang District, 430061, Wuhan City, Hubei Province, China
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
www.med-machinery.cn



SERIE SS-WFB-FQ

Non-woven Slitting and Re-winding Machine



The width of slitting can adjust very conveniently.

Technical Parameter

Jumbo roll max. diameter	87cm
Max. working width	1-3m (Accept customize)
Cutting speed	30-180m/min
Motor power	3-3.7KW
Frequency converter	3.7KW; 5.5KW

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



WUHAN LOYAL MACHINERY CO., LTD

© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
 Wuchang District, 430061, Wuhan City, Hubei Province, China
 Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
 E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
 www.med-machinery.cn