



SERIE SS-FSL

Vaseline Gauze Packing Machine



Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



WUHAN LOYAL MACHINERY CO., LTD

© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
Wuchang District, 430061, Wuhan City, Hubei Province, China
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
www.med-machinery.cn



SERIE SS-FSL

Vaseline Gauze Packing Machine


TECHNICAL SPECIFICATIONS



Automatically make gauze material open roll, soaking vaseline, laminating, slicing, packing in pouch, counting and output.

Servo motor and PLC programmer controls the operation of the entire machine, ensure the precise cutting, feeding and stable material transmission.

The Independent sealing mold base and mobile synchronous heat sealing system ensure the sealing surface temperature uniform and stable.



Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



WUHAN LOYAL MACHINERY CO., LTD

© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
Wuchang District, 430061, Wuhan City, Hubei Province, China
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
www.med-machinery.cn



SERIE SS-FSL

Vaseline Gauze Packing Machine

TECHNICAL SPECIFICATIONS

The vaseline material in the tank, melt temperature and liquid level been controlled by PLC.



The double roller system squeeze controls the vaseline coating volume.

Lamination process makes vaseline gauze laminating with film or release paper.



Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



WUHAN LOYAL MACHINERY CO., LTD

© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
Wuchang District, 430061, Wuhan City, Hubei Province, China
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
www.med-machinery.cn



SERIE SS-FSL

Vaseline Gauze Packing Machine

Cutting and feeding into the pouch.



Technical Parameter

Vaseline gauze swab size	5x5cm, 10x10cm, 10x20cm, 10x30cm, 10x40cm (Accept customized)
Speed	30-50 pouches/min
Total power (according to customizing solution)	12-21KW
Overall dimension (according to customizing solution)	6000x980x1900mm

Copyright by LOYAL. This brochure contains photos and technical data for information only, without contractual engagement. LOYAL reserves the right to introduce any modifications in the design and/or equipment.



WUHAN LOYAL MACHINERY CO., LTD

© 5B05, Decheng Center (DECH CENTER), Zhongbei Road No. 124,
Wuchang District, 430061, Wuhan City, Hubei Province, China
Mobile: 0086 1387 1887 978 (WhatsApp / Wechat) Tel / Fax: 0086 27 8566 3380
E-mail: loyal@med-machinery.cn michelle_6237@hotmail.com
www.med-machinery.cn